





## <u>Volkswagen TDl</u> 2004-06 1.9 PD

BD Engine Brake Inc. Plant Address: Unit A10, 33733 King Rd, Abbotsford, BC, Canada V2S 7M9 U.S. Shipping Address: 88-446 Harrison St, Sumas, WA 98295 U.S. Mailing Address: P.O. Box 231, Sumas, WA 98295 Phone: 604-853-6096 Fax: 604-853-8749 Internet: www.bd-power.com







+12 V +12 V Battery Ground connection The construction of all injector pump engines is similar. The first picture is showing an example of a Volkswagen Passat 1.9tdi (engine is mounted longitudinal). Dismount the big round connector on the back side from the cylinder head.


In the second picture you can see that the PSI loom is connected between the cylinder head connector and the original connector from the wiring loom. Both connectors are fitted together with a slight turn.

Place the Box on a secure place.


After connecting the connectors, you have to connect the black wire to the ground and the red wire to the plus from the battery. (Shown in the third picture.)

The short violet wire is to cut out the box when it is fitted to the ground via a switch. The more power returns than to the factory power.


The short thin grey wire is not to be used if he's present.



Disonnect original connector and placePower unit loom between them.







The construction of all injector pump engines is similar.

The first picture is showing an example of a Volkswagen Golf 1.9 tdi (engine is mounted transversal). Dismount the big round connector on the right side from the cylinder head.

In the second picture you can see that the PSI loom is connected between the cylinderhead connector and the original connector from the wiring loom. Both connectors are fitted together with a slight turn.

Place the Box on a secure place.

After connecting the connectors, you have to connect the black wire to the ground and the red wire to the plus from the battery.

The battery is fitted on the Golf on the engine compartment.

The short violet wire is to cut out the box when it is fitted to the ground via a switch. The more power returns than to the factory power.

The short thin grey wire is not to be used if he's present.

## BD ENGINE BRAKE, INC. LIMITED WARRANTY STATEMENT

THE INSTALLATION OF THIS PRODUCT INDICATES THAT THE BUYER HAS READ AND UNDERSTANDS THIS AGREEMENT AND ACCEPTS ITS TERMS AND CONDITIONS.

## DISCLAIMER OF LIABILITY

BD Engine Brake Inc., its successors, distributors, jobbers, and dealers (hereafter "**BD**") shall in no way be responsible for the product's proper use and service. <u>THE **BUYER** HEREBY WAIVES ALL LIABILITY CLAIMS.</u>

**BD** disclaims any warranty and expressly disclaims any liability for personal injury or damages. **BD** also disclaims any liability for incidental or consequential damages including, but not limited to, repair labor, rental vehicles, hotel costs, or any other inconvenience costs by reason of use or sale of any such equipment. The **BUYER** acknowledges and agrees that the disclaimer of any liability for personal injury is a material term for this agreement and the **BUYER** agrees to indemnify **BD** and to hold **BD** harmless from any claim related to the item of any equipment purchased.

This warranty shall not apply to any unit that has been improperly stored or installed, or to misapplication, improper operation conditions, accidents, neglect, or which has been improperly repaired or altered or otherwise mistreated by the **BUYER** or his agent. **BD** also assumes no liability regarding the improper installation or misapplication of its products. It is the installer's responsibility to check for proper installation and if in doubt, contact the manufacturer.

## LIMITATION OF WARRANTY

BD Engine Brake Inc. (hereafter "BD") warrants to the **BUYER** that any parts purchased shall be free from defects in material workmanship. A defect is defined as a condition within the product that would render the product inoperable. **BD** gives Limited Warranty as to description, quality, merchantability, fitness for any product's purpose, productiveness, or any other matter of **BD's** product sold herewith. **BD** shall be in no way responsible for the product's open use and service and the **BUYER** hereby waives all rights other than those expressly written herein. This Warranty shall not be extended or varied except by a written instrument signed by **BD** and the **BUYER**.

The Warranty is Limited to one (1) year from the date of sale and labor costs incurred by the removal and replacement of the BD product, while performing warranty work, will be covered for 1 (one) year, payable at BD rates, at authorized centers and with prior approval. Until BD has approved the claim, the consumer may be responsible for these costs.

A Return Authorization (WA) number, obtained in advance from **BD**, must accompany all products returned for warranty consideration. All products must be returned, shipping prepaid, to **BD** and must be accompanied by a dated proof of purchase receipt. All Warranty claims are subject to approval by **BD** and repaired or replaced product will be returned to the customer freight collect. Accepted warranty units, which have been replaced, become the sole property of **BD**.

This warranty is in lieu of all other warranties or guaranties, either expressed or implied, and shall not extend to any consumer or to any person other than the original purchaser residing within the boundaries of the continental U.S. or Canada.

IN THE EVENT THAT THE BUYER DOES NOT AGREE WITH THIS AGREEMENT, THE BUYER MAY PROMPTLY RETURN THIS PRODUCT, IN A NEW AND UNUSED CONDITION, WITH A DATED PROOF OF PURCHASE, TO THE PLACE OF PURCHASE WITHIN THIRTY (30) DAYS FROM DATE OF PURCHASE FOR A FULL REFUND.